

MAXIM INTEGRATED Analog ICs



RoHS Compliant This page of product is RoHS compliant.

RS-232 LINE DRIVERS/RECEIVERS (CONT.)

RS-232 LINE DRIVERS/RECEIVERS (CONT.)

◆ Surface Mount Device

◆ Surface Mount Device

For quantities greater than listed, call for quote.

MOUSER STOCK NO.	Package	Tx/Rx	V Supply	ESD (kV)	Signal Rate (kpbs)	Icc (Typ.) (mA)	Price Each		
							1	25	100
							For quantities greater than listed, call for quote.		
◆ 700-MAX232ESE	SOIC-16	2/2	5	15	120	5	2.89	2.56	2.52
◆ 700-MAX232EWE	SOIC-16W	2/2	5	15	120	5	2.89	2.56	2.47
◆ 700-MAX233CPPG36	PDIP-20	2/2	5	-	120	5	5.68	5.03	4.87
◆ 700-MAX233EPPG36	SOIC-20W	2/2	5	-	120	5	6.80	6.02	5.82
◆ 700-MAX202CPE	PDIP-16	2/2	5	-	120	8	3.21	2.84	2.75
◆ 700-MAX202CSE	SOIC-16	2/2	5	-	120	8	2.47	2.19	2.11
◆ 700-MAX202CWE	SOIC-16W	2/2	5	-	120	8	2.47	2.19	2.11
◆ 700-MAX202ECE	PDIP-16	2/2	5	15	120	8	4.24	3.75	3.63
◆ 700-MAX202ECSE	SOIC-16	2/2	5	15	120	8	3.26	2.89	2.79
◆ 700-MAX202ECWE	SOIC-16W	2/2	5	15	120	8	3.26	2.89	2.79
◆ 700-MAX202EEPE	PDIP-16	2/2	5	15	120	8	5.32	4.71	4.56
◆ 700-MAX202EESE	SOIC-16	2/2	5	15	120	8	4.09	3.62	3.50
◆ 700-MAX202EEWE	SOIC-16W	2/2	5	15	120	8	4.09	3.62	3.50
◆ 700-MAX202ESE	SOIC-16	2/2	5	15	120	8	2.89	2.56	2.47
◆ 700-MAX203ECWPG36	SOIC-20W	2/2	5	15	120	8	6.09	5.39	5.21
◆ 700-MAX203EWP36	SOIC-20W	2/2	5	15	120	8	8.06	7.14	6.89
◆ 700-MAX203EPPG36	PDIP-20	2/2	5	15	120	8	7.68	6.80	6.57
◆ 700-MAX222CPN	PDIP-18	2/2	5	-	200	4	4.35	3.86	3.73
◆ 700-MAX222CWN	SOIC-18W	2/2	5	-	200	4	3.35	2.97	2.86
◆ 700-MAX222EWN	SOIC-18W	2/2	5	-	200	4	4.20	3.72	3.59
◆ 700-MAX232ACPE	PDIP-16	2/2	5	-	200	4	4.99	4.42	4.27
◆ 700-MAX232ACSE	SOIC-16	2/2	5	-	200	4	3.84	3.40	3.28
◆ 700-MAX232ACWE	SOIC-16W	2/2	5	-	200	4	3.84	3.40	3.28
◆ 700-MAX232AEPE	PDIP-16	2/2	5	15	200	4	6.31	5.59	5.40
◆ 700-MAX232AESE	SOIC-16	2/2	5	15	200	4	4.85	4.30	4.15
◆ 700-MAX232AEWE	SOIC-16W	2/2	5	15	200	4	4.85	4.30	4.15
◆ 700-MAX233ACPPG36	PDIP-20	2/2	5	-	200	4	10.43	9.24	8.93
◆ 700-MAX233ACWPG36	SOIC-20W	2/2	5	-	200	4	8.02	7.10	6.87
◆ 700-MAX233AEPPG36	PDIP-20	2/2	5	-	200	4	15.25	13.51	13.06
◆ 700-MAX233AEWPG36	SOIC-20W	2/2	5	-	200	4	11.73	10.39	10.04
◆ 700-MAX242CPN	PDIP-18	2/2	5	-	200	4	5.12	4.54	4.38
◆ 700-MAX242CWN	SOIC-18W	2/2	5	-	200	4	3.27	2.90	2.80
◆ 700-MAX242EPN	PDIP-18	2/2	5	-	200	4	7.99	7.08	6.84
◆ 700-MAX242EWN	SOIC-18W	2/2	5	-	200	4	4.20	3.72	3.67
◆ 700-MAX243CSE	SOIC-16	2/2	5	-	200	4	4.26	3.77	3.64
◆ 700-MAX2325ECWPG36	SOIC-20W	2/2	5	15	250	0.3	7.17	6.35	6.14
◆ 700-MAX2325EWP36	SOIC-20W	2/2	5	15	250	0.3	9.23	8.17	7.90
◆ 700-MAX3316ECUP	TSSOP-20	2/2	2.5, 3, 3.3, 5	15	460	0.3	4.33	3.84	3.71
◆ 700-MAX3381ECUP	TSSOP-20	2/2	2.5, 3, 3.3, 5	15	250	0.3	4.63	4.10	4.04
◆ 700-MAX3380ECUP	TSSOP-20	2/2	2.5, 3, 3.3, 5	15	460	0.3	4.63	4.10	4.04
◆ 700-MAX3380EEUP	TSSOP-20	2/2	2.5, 3, 3.3, 5	15	460	0.3	6.68	5.91	5.83
◆ 700-MAX13234EEUP	TSSOP-20	2/2	3, 3.3, 5	15	250	0.001	5.64	5.00	4.93
◆ 700-MAX3322EEUP	TSSOP-20	2/2	3, 3.3, 5	15	250	1	5.35	4.74	4.67
◆ 700-MAX13223EEUP	TSSOP-20	2/2	3, 3.3, 5	-	250	8	8.10	5.99	4.33
◆ 700-MAX3131EAI	SSOP-28	2/2	3, 3.3, 5	-	115-2	1	9.21	8.16	7.89
◆ 700-MAX3223CPP	PDIP-20	2/2	3, 3.3, 5	-	120	0.3	4.24	3.75	3.71
◆ 700-MAX3223ECP	PDIP-20	2/2	3, 3.3, 5	-	120	0.3	4.89	4.33	4.19
◆ 700-MAX3222CAP	SSOP-20	2/2	3, 3.3, 5	-	120	0.3	3.26	2.89	2.79
◆ 700-MAX3222CPN	PDIP-18	2/2	3, 3.3, 5	-	120	0.3	4.24	3.75	3.63
◆ 700-MAX3222CUP	TSSOP-20	2/2	3, 3.3, 5	-	120	0.3	3.26	2.89	2.79
◆ 700-MAX3222CWN	SOIC-18W	2/2	3, 3.3, 5	-	120	0.3	3.26	2.89	2.79
◆ 700-MAX3222EAP	SSOP-20	2/2	3, 3.3, 5	-	120	0.3	3.96	3.51	3.39
◆ 700-MAX3222EUP	TSSOP-20	2/2	3, 3.3, 5	-	120	0.3	3.96	3.51	3.39
◆ 700-MAX3223CAP	SSOP-20	2/2	3, 3.3, 5	-	120	0.3	3.26	2.89	2.79
◆ 700-MAX3223CUP	TSSOP-20	2/2	3, 3.3, 5	-	120	0.3	3.26	2.89	2.79
◆ 700-MAX3223EAP	SSOP-20	2/2	3, 3.3, 5	-	120	0.3	3.96	3.51	3.39
◆ 700-MAX3223EUP	TSSOP-20	2/2	3, 3.3, 5	-	120	0.3	3.96	3.51	3.45
◆ 700-MAX3232CAE	TSSOP-16	2/2	3, 3.3, 5	-	120	0.3	3.26	2.89	2.79
◆ 700-MAX3232CPE	PDIP-16	2/2	3, 3.3, 5	-	120	0.3	4.24	3.75	3.63
◆ 700-MAX3232CSE	SOIC-16	2/2	3, 3.3, 5	-	120	0.3	3.26	2.89	2.79
◆ 700-MAX3232CSET	SO-16N	2/2	3, 3.3, 5	-	120	0.3	5.92	4.46	3.90
◆ 700-MAX3232CUE	TSSOP-16	2/2	3, 3.3, 5	-	120	0.3	3.26	2.89	2.79
◆ 700-MAX3232CWE	SOIC-16W	2/2	3, 3.3, 5	-	120	0.3	3.26	2.89	2.79
◆ 700-MAX3232ECE	TSSOP-16	2/2	3, 3.3, 5	-	120	0.3	3.76	3.33	3.22
◆ 700-MAX3232EEU	TSSOP-16	2/2	3, 3.3, 5	-	120	0.3	4.84	4.28	4.14
◆ 700-MAX3232ESE	SOIC-16	2/2	3, 3.3, 5	-	120	0.3	3.96	3.51	3.39
◆ 700-MAX3232EUE	TSSOP-16	2/2	3, 3.3, 5	-	120	0.3	3.96	3.51	3.39
◆ 700-MAX3232EWE	SO-16W	2/2	3, 3.3, 5	-	120	0.3	3.96	3.51	3.39
◆ 700-MAX3224CUP	TSSOP-20	2/2	3, 3.3, 5	-	250	0.3	3.26	2.89	2.79
◆ 700-MAX3224EPP	PDIP-20	2/2	3, 3.3, 5	-	250	0.3	6.29	5.57	5.39
◆ 700-MAX3224EETP	TQFN-20	2/2	3, 3.3, 5	-	250	0.3	4.84	4.28	4.23
◆ 700-MAX3224ETP	TQFN-20	2/2	3, 3.3, 5	-	250	0.3	3.96	3.51	3.39
◆ 700-MAX3222ECAP	SSOP-20	2/2	3, 3.3, 5	15	250	0.3	3.76	3.33	3.28
◆ 700-MAX3222ECUP	TSSOP-20	2/2	3, 3.3, 5	15	250	0.3	3.76	3.33	3.22
◆ 700-MAX3222ECWN	SOIC-18W	2/2	3, 3.3, 5	15	250	0.3	3.76	3.33	3.22
◆ 700-MAX3222EEAP	SSOP-20	2/2	3, 3.3, 5	15	250	0.3	4.84	4.28	4.14
◆ 700-MAX3222EEUP	TSSOP-20	2/2	3, 3.3, 5	15	250	0.3	4.84	4.28	4.14
◆ 700-MAX3222EEWN	SOIC-18W	2/2	3, 3.3, 5	15	250	0.3	4.84	4.28	4.14
◆ 700-MAX3223ECAP	SSOP-20	2/2	3, 3.3, 5	15	250	0.3	3.76	3.33	3.22
◆ 700-MAX3223ECUP	TSSOP-20	2/2	3, 3.3, 5	15	250	0.3	3.76	3.33	3.22
◆ 700-MAX3223EAP	SSOP-20	2/2	3, 3.3, 5	15	250	0.3	4.84	4.28	4.14
◆ 700-MAX3223EPP	PDIP-20	2/2	3, 3.3, 5	15	250	0.3	6.29	5.57	5.49

MOUSER STOCK NO.	Package	Tx/Rx	V Supply	ESD (kV)	Signal Rate (kbps)	Icc (Typ.) (mA)	Price Each		
							1	25	100
							For quantities greater than listed, call for quote.		
◆ 700-MAX3223EEUP	TSSOP-20	2/2	3, 3.3, 5	15	250	0.3	4.84	4.28	4.14
◆ 700-MAX3224CAP	SSOP-20	2/2	3, 3.3, 5	-	250	0.3	3.26	2.89	2.79
◆ 700-MAX3224EAP	SSOP-20	2/2	3, 3.3, 5	-	250	0.3	3.96	3.51	3.39
◆ 700-MAX3224ECAP	SSOP-20	2/2	3, 3.3, 5	15	250	0.3	3.76	3.33	3.22
◆ 700-MAX3224EEAP	SSOP-20	2/2	3, 3.3, 5	15	250	0.3	4.84	4.28	4.14
◆ 700-MAX3232ECAE	SSOP-16	2/2	3, 3.3, 5	15	250	0.3	3.76	3.33	3.22
◆ 700-MAX3232ECE	PDIP-16	2/2	3, 3.3, 5	15	250	0.3	4.89	4.33	4.19
◆ 700-MAX3232ECTE	TQFN-16	2/2	3, 3.3, 5	15	250	0.3	3.76	3.33	3.28
◆ 700-MAX3232ECUP	TSSOP-20	2/2	3, 3.3, 5	15	250	0.3	3.76	3.33	3.22
◆ 700-MAX3232ECWE	SOIC-16W	2/2	3, 3.3, 5	15	250	0.3	3.76	3.33	3.22
◆ 700-MAX3232EEAE	SSOP-16	2/2	3, 3.3, 5	15	250	0.3	4.84	4.28	4.23
◆ 700-MAX3232EEUP	TSSOP-20	2/2	3, 3.3, 5	15	250	0.3	4.84	4.28	4.14
◆ 700-MAX3232EEWE	SOIC-16W	2/2	3, 3.3, 5	15	250	0.3	4.84	4.28	4.14
◆ 700-MAX3320TEAP	SSOP-20	2/2	3, 3.3, 5	-	250	0.45	4.99	4.42	4.27
◆ 700-MAX3320CAI	SSOP-28	2/2	3, 3.3, 5	-	250	15	9.04	6.03	4.83
◆ 700-MAX3320EAI	SSOP-28	2/2	3, 3.3, 5	-	250	15	12.05	8.74	6.42
◆ 700-MAX3225EAP	SSOP-20	2/2	3, 3.3, 5	-	1000	0.3	3.96	3.51	3.39
◆ 700-MAX3225CAP	SSOP-20	2/2	3, 3.3, 5	-	1000	0.3	3.26	2.89	2.79
◆ 700-MAX3225ECAP	SSOP-20	2/2	3, 3.3, 5	15	1000	0.3	3.76	3.33	3.22
◆ 700-MAX3225EEUP	SSOP-20	2/2	3, 3.3, 5	15	1000	0.3	4.84	4.28	4.14
◆ 700-MAX201CPD	TSSOP-20	2/2	3, 3.3, 5	15	1000	0.3	4.84	4.28	4.23
◆ 700-MAX201CWE	PDIP-14	2/2	5, 12	-	116	0.4	6.33	5.61	5.43
◆ 700-MAX201CWE	SOIC-16W	2/2	5, 12	-	116	0.4	4.87	4.32	4.16
◆ 700-MAX231CPD	PDIP-14	2/2	5, 12	-	120	0.4	5.43	4.81	4.65
◆ 700-MAX231CWE	SOIC-16	2/2	5, 12	-	120	0.4	4.18	3.70	3.58
◆ 700-MAX3388EUP	TSSOP-24	3/2	2.5, 3	15	460	0.3	6.25	5.54	5.35
◆ 700-MAX3387EUG	TSSOP-20	3/2	3, 3.3, 5	15	250	0.3	4.15	3.67	3.55
◆ 700-MAX1406CPE	PDIP-16	3/3	12	15	230	0.23	2.91	2.58	2.53
◆ 700-MAX1406CWE	SOIC-16W	3/3	12	15	230	0.23	2.24	1.98	1.91
◆ 700-MAX1406EWE	SO-16W	3/3	12	15	230	0.23	2.79	2.48	2.39
◆ 700-MAX3387ECUG	TSSOP-24	3/3	3, 3.3, 5	15	250	0.3	5.12	4.53	4.38
◆ 700-MAX3387EUG	TSSOP-24	3/3	3, 3.3, 5	15	250	0.3	6.26	5.56	5.42
◆ 700-MAX214CWI	SOIC-28W	3/5							