


120 VOLTS Label



Product Highlights:

Dimensions:

0.5 in H x 2.25 in W x 0.0073 in D

Material:

Cloth

Label Properties:

Repositionable Labels

Color:


Black on Orange

Part Number:

44304

ADD TO CART

1





[Add To Favorites](#)

PEOPLE WHO VIEWED THIS ITEM ALSO VIEWED

OVERVIEW

Orange ASME-compliant conduit and voltage labels alert employees to potentially dangerous machinery or energized equipment.

- Orange markers meet ASME (ANSI) Standard ZG3.22
- The adhesive and cloth backing offers excellent holding power, yet allow for clean removal and repositioning
- Sticks to any clean, dry surface
- Specially formulated topcoat for excellent print quality

SPECIFICATIONS

Material Number	B-498
Catalog Page #	234
Dimensions	0.5 in H x 2.25 in W x 0.0073 in D
UOM	Card of 18 Labels
Finish	Semi-gloss
Illumination	Not Illuminated
Laminated	Not Laminated
Maximum Service Temperature °F	176 °F
Minimum Service Temperature °F	-40 °F
National Stock Number (NSN)	7690010070221
PSPA Photoluminescence Class	Not Illuminated
Product Number	44304
UPC	754473443047

Quantity per Card or Sheet	18
Reverse Legend	No Reverse Text
Thickness	0.0073 in
Adhesive Type	Repositionable Rubber
Color	Black on Orange
Header	No Header
Label Properties	Repositionable Labels
Language	English
Material	Cloth
Mounting Type	Self-Adhesive
Reflective Type	Non-Reflective
Resistance Properties	Abrasion-Resistant, Chemical-Resistant, Corrosion-Resistant, Humidity-Resistant, UV-Resistant, Weather-Resistant
Reverse Header	No Reverse Header
Shape	Rectangle
Text Legend	120 VOLTS

Solutions

[Floor Marking Guide](#)
[GHS Label Compliance](#)
[Lockout Tagout Compliance](#)
[Arc Flash Labeling Requirements](#)
[Cable and Wire Label Options](#)
[Product and Barcode Labeling](#)
[Brand Protection Solutions](#)

Services

[Lockout Tagout Services](#)
[Arc Flash Services](#)
[Confined Space Services](#)
[Software Programming & Integration](#)
[Label Template & File Conversion](#)
[Printer Use & Training](#)
[Printer Preventative Maintenance](#)
[Toll and Custom Coating](#)
[Authentication & Tracking Services](#)

Help

[Contact Us](#)
[Website Feedback](#)
[Knowledge Center](#)
[Printer Drivers & Firmware](#)
[Brady Software Updates](#)
[Safety Data Sheets](#)
[Technical Data Sheets](#)
[WEEE-RoHS Compliance](#)
[Product Certification](#)
[Printer Registration](#)

Resources

[Find a Distributor](#)
[Design Custom Safety Signs](#)
[Printer Selection Tool](#)
[Label Selection Tool](#)
[Digital Catalog](#)
[Request a Catalog](#)
[Interactive Facility Map](#)
[EPA e-Manifest Update](#)

[About](#)

[Careers](#)

[Investors](#)

[Privacy](#)

[Policy](#)

[Terms and](#)

[Conditions](#)

[Terms of](#)

[Use](#)

[ISO](#)

[Certificates](#)

[Sites](#)

[Distributor](#)

[Portal](#)

[International](#)

[Sites](#)

[Safety](#)

[Services &](#)

[Software](#)

[Smart ID](#)

[Brand](#)

[Protection](#)

[Solutions](#)

6555 W.

Good Hope

Rd.

Milwaukee,

WI 53223

Phone: 888-

250-3082

Hours: 7am-

6pm CT

Monday -

Thursday;

Friday 7am-

5pm CT

manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.



2018 © Brady Worldwide, Inc.