

Home > Products > Microcontroller (MCU) and Programmable System-on-Chip (PSoC®) Families > 32-bit ARM® Cortex® Microcontroller (MCU) Families > FM3 32-bit ARM® Cortex®-M3 Microcontroller (MCU) Families > FM3 MB9Bx10R-Series High Performance ARM® Cortex®-M3 Microcontroller (MCU) Family > MB9BF112NPQC-G-JNE2

MB9BF112NPQC-G-JNE2

Status: In Production



Datasheet



English



Chinese



Japanese

File Type: PDF

Updated: Jun 21, 2017

Product Specs

Packaging/Ordering

Quality and RoHS

Technical Documents

MB9BF112NPQC-G-JNE2

ADC Resolution	12
Automotive Qualified	N
CPU Core	ARM Cortex-M3
Data Flash (KB)	32
Flash Security (Read Production)?	Y
Max Clock Speed (MHz)	144
Max. Operating Temp. (°C)	70
Max. Operating Voltage (V)	5.50
Min. Operating Temp. (°C)	0
Min. Operating Voltage (V)	2.70
No. of ADC Channels	16
No. of Base Timers	8
No. of CAN Controllers	0
No. of DMA Channels	8
No. of DMA Channels (DSTC Type)	0
No. of Ethernet Ports	0
No. of GPIOs	83
No. of I2C Channels	8
No. of LIN Channels	8
No. of PWM Channels	8
No. of SPI	0
No. of UART Channels	8
No. of USB Ports	0
Part Family	FM3
Program Flash (KB)	128
SRAM (KB)	16
Tape & Reel	N
Total Flash (KB)	128

DESIGN SUPPORT

- [Development Kits](#)
- [Forums](#)
- [Knowledge Base](#)
- [Packaging](#)
- [Product Brochures](#)
- [Quality & Reliability](#)
- [Samples](#)
- [Technical Support](#)
- [Technical Training](#)
- [Third Party Network \(CYPros\)](#)

TRAINING

- [Workshops](#)
- [Training On-Demand](#)
- [Webinars](#)

Availability	Quantity	Ships In	Buy from Cypress	Buy from Distributors
Out of Stock	0	Please click here to check lead times	Contact Sales	Contact Sales

* Prices are shown in United States dollars and are for budgetary use only for volume of 1ku

PACKAGING/ORDERING

No. of Pins	100
Package Cross Section Drawing	Download
Package Carrier	TRAY
Package Carrier Drawing / Orientation	Package Orientation

Standard Pack Quantity	1
Minimum Order Quantity (MOQ)	66
Order Increment	66
Estimated Lead Time (days)	105
HTS Code	8542.31.0001
ECCN Suball	3A991.A

QUALITY AND ROHS

Moisture Sensitivity Level (MSL)	3
Peak Reflow Temp. (°C)	245 (Cypress Reflow Profile)
RoHS Compliant	Y Print RoHS Certificate of Compliance
PB Free	Y
Lead/Ball Finish	Pure Sn
Marking	Cypress Marking Format

TECHNICAL DOCUMENTS

Application Notes (20)

AN205399 - FM3 Microcontroller, Electrical Weight on Wash Machine Aug 27, 2017

AN205354 - FM3 Microcontroller with OOB Solution on BLDC Washer Aug 13, 2017

AN205353 - FM3 Microcontroller with Electrical Brake Application on BLDC Washer Aug 13, 2017

AN205408 - SMO Based Field Oriented Control Of Induction Motor With Speed Sensor For FM3 Microcontroller Aug 07, 2017

[Show More ▾](#)

SOLUTIONS

Automotive
Industrial
Consumer

PRODUCTS

Wireless
Microcontrollers (MCUs)
Memory
Universal Serial Bus (USB)
Power Management
Touch Sensing
Clocks & Buffers

DESIGN SUPPORT

Community
Videos
Development Kits
Quality & Reliability
Product Roadmaps

BUY & SAMPLE

Request Samples
Buy Devices
Buy Development Kits

ABOUT US

Investors
Careers

CORPORATE HEADQUARTERS

Cypress Semiconductor Corp.
198 Champion Court
San Jose, CA A
Tel: +1-408-943-2600

CUSTOMER SERVICE SUPPORT

+1-800-541-4736
Hours:
8:00AM - 5:00PM (local time)
[Create a MyCase](#)

INTERNATIONAL SUPPORT

+1-408-943-2600
United States +1-800-541-4736
Hours:
4:30AM - 1:30PM (pacific time)
7:30PM - 4:30AM (standard time)

OTHER REQUESTS

[Contact Us](#)
[Report a Website Problem](#)

[CAREERS](#)

[INVESTORS](#)



